

Information Technology and Service

UCSF ENTERPRISE INCIDENT MANAGEMENT PROCESS

VERSION 1.4, REV. April 11, 2014



Document Version Control

Document Name		Enterprise Incident Management Process				
Process Owner		Peter Stampfer				
Version Issue Number Date		Prepared By	Reason for Change			
1.0	6/15/11	Terrie Coleman	First draft			
1.1	7/5/11	Terrie Coleman	Updated Process Owner. Aligned process and roles with ITIL V3. Updated procedures 27 & 33 with closure code direction. Updated RACI. Removed Impact, Urgency, Priority and Global Incident t Management Service Levels sections			
1.2	9/27/11	Terrie Coleman	Merged Logging and Categorization and Incident Monitoring & Escalation Sub Process documents into Enterprise Incident Management Process document			
1.3	10/15/12	Terrie Coleman	Corrected typo in Prioritization Matrix			
1.4	4/9/14	Shawn Hall	Updated Process Owner from Darlena Torres to Peter Stampfer. Updated the Priority Calculation.			

Reviewers

Name	Role
Darlena Torres Customer Service Manager, Medical Center	
John Chin	Service Desk Supervisor, Medical Center
Quinn Hearne Desktop Support Manager, School of Medicine	
Tim Greer	IT Manager, SFGH
John Gingrich	IT Supervisor, SFGH
Dan Pucillo	Service Desk Supervisor, Campus
Peter Kearney	Project Manager, Operational Excellence
Peter Stampfer	Service Now Administrator, Medical Center

Approvers

Name	Role	Date
Joe Bengfort	CIO, Medical Center	7/15/11
Darlena Torres, on behalf of Julie Cox	Customer Service Director, Medical Center	7/15/11
Rebecca Nguyen	IT Service Management Product Manager	7/15/11
Jodi Muller	IT Service Management Project Manager	7/15/11



This document contains confidential, proprietary information intended for internal use only and is not to be distributed outside the University of California, San Francisco (UCSF) without an appropriate non-disclosure agreement in force. Its contents may be changed at any time and create neither obligations on UCSF's part nor rights in any third person

Table of Contents

1.	INT	FRODUCTION ENTERPRISE INCIDENT MANAGEMENT	4
1	.1. .2. .3.	Purpose	4
2.	ROI	LES AND RESPONSIBILITIES	4
2 2 2 2	2.1. 2.2. 2.3. 2.4. 2.5.	CUSTOMER SERVICE DESK – 1ST LEVEL SUPPORT 2ND LEVEL SUPPORT 3RD LEVEL SUPPORT MAJOR INCIDENT TEAM INCIDENT MANAGER – PROCESS OWNER	4 4 4
3.	PRO	OCESS DEFINITION	5
	3.1. 3.2.	ENTERPRISE INCIDENT MANAGEMENT HIGH LEVEL PROCESS MAP	
4.	RAG	CI CHART	8
5.	ENT	TRY CRITERIA	8
6.	PRO	OCEDURE	8
7.	EXI	IT CRITERIA	11
8.	INC	CIDENT LOGGING AND CATEGORIZATION SUB-PROCESS	11
8	3.1. 3.2. 3.3. 3.4.	Sub-Process Objective Logging Incidents Categorizing Incidents Prioitization of Incidents	11 11
9.	INC	CIDENT MONITORING AND ESCALATION SUB-PROCESS	14
ç	9.1. 9.2. 9.3.	SUB-PROCESS OBJECTIVE GLOBAL INCIDENT MANAGEMENT SERVICE LEVELS ESCALATION SERVICE DESK RESPONSE TIMES	14 14



1. INTRODUCTION ENTERPRISE INCIDENT MANAGEMENT

1.1. PURPOSE

The primary goal of the Incident Management process is to restore normal service operation as quickly as possible and minimize the adverse impact on business operations, thus ensuring that the best possible levels of service quality and availability are maintained. Normal service operation is defined as service operation within service level agreement (SLA) limits.

1.2. **SCOPE**

The scope of the Incident Management process includes a standard set of processes, procedures, responsibilities and metrics that are utilized across the enterprise.

1.3. **DEFINITIONS**

An *incident* is any event which is not part of the standard operation of a service and which causes, or may cause an interruption to, or a reduction in the quality of that service.

The Incident Management process includes Incident Acceptance and Recording, Classification and Initial Support, Matching, Investigation and Diagnosis, Resolution and Recovery, Closure, and Progress Monitoring and Reporting

2. ROLES AND RESPONSIBILITIES

2.1. CUSTOMER

- Identifies incident
- · Confirms incident has been resolved

2.2. SERVICE DESK – 1ST LEVEL SUPPORT

- First point of contact for customers reporting service disruption of service
- Responsible for recording and classifying incidents and undertaking an immediate effort in order to restore a failed IT service as quickly as possible
- Transfer incidents to expert technical support when no ad-hoc solution can be achieved
- Provide customer updates as required

2.3. 2ND LEVEL SUPPORT

- Takes over incident which cannot be solved immediately by Level 1 Support
- · Responsible for incident investigation, diagnosis and recovery within defined priorities
- Request external support if necessary
- Aim to restore an IT service as quickly as possible
- Transfer incidents to Level 3 support when no solution can be found
- Provide customer updates as required

2.4. 3RD LEVEL SUPPORT

- Typically located at hardware or software manufacturers.
- Services are requested by 2nd Level Support if required for solving an Incident.Responsible for incident investigation, diagnosis and recovery within defined priorities
- Aim to restore an IT service as quickly as possible

2.5. MAJOR INCIDENT TEAM

 A dynamically established team formulated to concentrate on the resolution of a major incident



- Initiates the Event Communication Process
- Initiates the Problem Management Process
- Conducts SWAT session after event

2.6. INCIDENT MANAGER – PROCESS OWNER


- Manages the effective implementation of the Incident Management Process
- Makes recommendations for process improvement
- Generates Incident Management performance reports
- Represents the first stage of escalation for incidents which are not resolved within the agreed Service Levels

3. PROCESS DEFINITION


3.1. ENTERPRISE INCIDENT MANAGEMENT HIGH LEVEL PROCESS MAP

3.2.

ENTERPRISE INCIDENT MANAGEMENT ACTIVITY DIAGRAM









4. RACI CHART

				/	/ /			/./.
							es /	and Support
			_/.		St.	North		Sup 8
			stories	/ 🔊		·/ &	16, 91	6) ² 9
	Enterprise Incident Management		so'/.	sil.	de	3 ⁶ /	3 ^V /	3 V/
Step #	Process	/ 0	<u> </u>	"/ \	<u>, 4</u>	<u>~</u> 1	<u> </u>	<u>~</u>
Incidor	nt Logging and Categorization							
1	Detect Incident	R,A		Г		Г		Г
2	Contact Service Desk	R,A						
3	Type?	T C F	R,A					
4	Open Incident Ticket		R,A					
5	Assign: Impact, Urgency, Priority		R,A					
	Handoff to Service Rquest process		R,A					
Immed	iate Incident Resloultion by Level 1							
6	Check Support Matrix, Documentation,		R,A					
7	Document Steps Taken		R,A					
8	Resolve?		R,A					
9	Notify Customer	I	R,A					L
10	Valid?	R,A	I					L
11	Triage		R,A					L
12	System Event?		R,A					L
	Initiate Major Incident Procedures				R,A			
	Monitor & Track Incidents			RA				L
	iate Resolution by Level 2							
	Review Incident Ticket					R,A		L
14	Resolve?					R,A		\perp
15	Implement Soluiton and Resolve Incident					R,A		\perp
16	Update Incident Ticket & Notify Customer	I				R,A		L
17	Valid?	R,A				I		\vdash
18	Update Incident Ticket & Triage to Level 3					R,A		\vdash
19	Review Incident Ticket						R,A	┞
20	Resolve?						R,A	L
	Handoff to Change Management Process							┞
	Initiate Escalation Process							┡
	Initiate Problem Management Process							L
21	Implement Soluiton and Resolve Incident	-					R,A	┡
22	Update Incident Ticket & Notify Customer Valid?	I					R,A	⊢
23		R,A						L
24	nt Closure and Evaluation Close Incident Ticket	_	D 4	_		R	R	_
25	Generate Incident Report including		R,A	R,A		K	K	⊢
26	Evaluate Performance Metrics Against SLAs			R,A		_		\vdash
27	Conduct Performance Review	\vdash		R,A		\vdash		\vdash
	Conduct Performance Review			NA		_	-	-

Responsible – People who do the work, facilitate it and/or organize it

Accountable - The one who insures that desired outcomes are reached and has yes/no decision making authority

Consulted – People who have critical expertise to contribute before a decision is made

Informed – People who are significantly affected by the activity/decision and must be informed to insure successful implementation

5. ENTRY CRITERIA

Incident report

6. PROCEDURE

ID	Step	Responsibility		
Incid	Incident Logging and Categorization Sub-Process			



ID	Step	Responsibility			
1	Detect Incident	Customer			
	Identify a disruption of service.				
2	Contact Service Desk	 Customer 			
	Customer contacts the Service Desk to report a disruption in service or request service.				
3	Type? Incident – go to step 4 / Service Request – Hand off to Service Request Process	 Service Desk 			
4	Open Incident Ticket (classified at User Service Request)	 Service Desk 			
	Upon receiving a call (or request) from a Customer, the Service Desk Analyst enters the Customer and incident information into the ticket.				
	Hand-off to Service Request Process				
	Monitor and Track Incidents	■ Incident Manager			
	The Incident Manager is responsible for monitoring and tracking incident throughout the process.				
5	Assign: Impact, Urgency, Priority	 Service Desk 			
	Using the impact, urgency, priority matrix, determine and set the priority for the incident. Setting the priority begins the "clock" for the Service Level Agreement (SLA) associated with that priority. At this point, Service Desk Analyst becomes the Ticket Owner.				
Imm	ediate Incident Resolution by Level 1 Sub-Process				
6	Check Support Matrix, Documentation, Solutions Database and Configuration items Review all available information for known errors and solutions to similar incidents.	Service Desk			
7	Document Steps Taken	 Service Desk 			
	Update the worklog in the Incident Ticket with all of the troubleshooting steps taken to resolve the incident so far.				
8	Resolve?	 Service Desk 			
	Yes – go to step9 / No – go to step 11				
9	Notify Customer	 Service Desk 			
10	Valid? Yes – go to step 24 / No – go to step 8	Customer			
11	Triage	Service Desk			
	The Service Desk Analyst assigns the Incident ticket to Level 2 Support. At this stage the responsibility for resolving the incident and communicating with the Customer passes to the assigned Support Analyst however, the responsibility for final customer contact and closure of the incident remains with the Service Desk Analyst.				
12	System Event?	Service Desk			
	Yes – go to step Initiate Major Incident Management Procedures / No – go to step 13				
	Initiate Major Incident Management Sub-Process				
	Monitor and Track Event	■ Incident Manager			
	The Event Manger is responsible for initiating the Communication Management Process and the Problem Management process as need. They are also responsible for tracking the event to resolution.				
Imm	ediate Resolution by Level 2 Sub-Process				



ID	Step	Responsibility
13	Review Incident Ticket Review the incident in order to understand the issue. Consult the Problem Management Database for known errors. If necessary, contact the Customer, IT Support Unit or the Service Desk to gain further clarity of the incident. Begin diagnosis of the incident.	Level 2 Support
14	Resolve? Yes – go to step 15/ No – go to step 18 Determine if the incident can be resolved without making any system update and inform the customer of the solution. When the Level 2 Support Analysis is unable to resolve the incident it is escalated to Level 3 Support.	Level 2 Support
15	Implement Solution and Resolve Incident Resolve the incident by implementing the necessary solution.	 Level 2 Support
16	Update Incident Ticket and Notify Customer Document the resolution in the Incident Ticket and enter the closure code. Contact the Customer with the solution to the incident	Level 2 Support
17	Valid? Yes – go to step 24 / No - go to step 14	CustomerIT Support Group
18	Update Incident Ticket and Triage to Level 3 Document the steps taken to diagnose/resolve the incident in the worklog of the Incident Ticket. When the Level 2 Support Analyst is unable to resolve the incident it is triaged to Level 3 Support. At this stage the responsibility for resolving the incident and communicating with the Customer passes to the assigned Support Analyst.	Level 2 Support
19	Review Incident Ticket Review the incident in order to understand the issue. Consult the Problem Management Database for known errors. If necessary, contact the Customer, IT Support Unit or the Service Desk to gain further clarity of the incident. Begin diagnosis of the incident.	Level 3 Support
20	Resolve? Yes – go to step 32 / No – hand-off to Escalation Process and/or Change Management Process and/or Problem Management	Level 3 Support
	The Level 3 Support Analyst determines if the incident can be resolved without making any system updates and informs the customer of the solution. If system updates are required the Level 3 Support Analyst will initiate the Change Management process	
	Initiate Monitoring and Escalation Sub-Process	
	Initiate Change Management Process	
	Initiate Problem Management Process	
21	Implement Solution and Resolve Incident The Level 3 Support Analyst resolves the incident by implementing the necessary solution.	Level 3 Support
22	Update Incident Ticket and Notify Customer Document the resolution in the Incident Ticket and enter the closure code. Contact the Customer with the solution to the incident.	Level 3 Support
23	Valid? Yes – go to step 24 / No go to step 20	Customer IT Support Group
Incid	ent Closure & Evaluation Sub-Process	

ID	Step	Responsibility
24	Close Incident Ticket The Ticket Assignee is responsible for closure of the Incident Ticket.	Service DeskLevel 2 SupportLevel 3 Support
25	Generate Incident Report, including Performance Metrics	 Incident Manager
26	Evaluate Performance Metrics Against SLA	 Incident Manager
27	Conduct Performance Review	■ Incident Manager

7. EXIT CRITERIA

 Incident has been resolved to customer's satisfaction or has been handed off to another process.

8. INCIDENT LOGGING AND CATEGORIZATION SUB-PROCESS

8.1. SUB-PROCESS OBJECTIVE

Incident Logging and Categorization is a sub-process of the Incident Management Process. Its objective is to record and prioritize the Incident with appropriate diligence, in order to facilitate a swift and effective resolution.

8.2. LOGGING INCIDENTS

Incident Logging and Categorization is a sub-process of the Incident Management Process. Its objective is to record and prioritize the Incident with appropriate diligence, in order to facilitate a swift and effective resolution.

An Incident Record must contain the following information:

- 1. Unique ID of the Incident (usually allocated automatically by the system)
- 2. Date and time of recording
- 3. Service Desk agent responsible for the registration
- 4. Caller / user data
- 5. Description of symptom

8.3. CATEGORIZING INCIDENTS

The primary goal of Incident categorization is to provide a method for quickly routing and resolving an incident. The secondary goal is to provide trending reports.

The following fields are used to categorize an Incident:

1. Configuration Item (CI)

The Configuration Items (CI) field records what Service or Product is affected. The CI forms the basis of all categorization. A CI can be a physical CI (e.g., Workstation, Software application, etc.) or an IT Service CI (e.g., Telecom Service, Email Service, Internet, etc.)



2. Short Description

The Short Description field records a brief summary of the symptom or request specific to the CI selected for the Incident. The Short Description field is populated by selecting a description from the drop down menu. Selections in the drop down menu are unique to the selected CI.

3. Type

The Type field records the kind of Incident that is being logged. There are two types of Service Desk interactions: Service Interruption and Service Request. The Type field is auto-populated based on the Short Description that was selected.

4. Category and Sub-category

The Category and Sub-category fields record what is being reported or requested by the end user (e.g., Troubleshoot / Error Message; Troubleshoot / Connectivity; Request / Password Reset; Investigate / Security Incident; Inquire/Request / How-to, etc.) The Category and Sub-category fields are auto-populated based on the selected Short Description. Since Short Descriptions are specific to the CI, Category and Sub-category provide a mechanism for grouping like symptoms across the CIs, enabling trend reporting.

8.4. PRIORITIZATION OF INCIDENTS

Three metrics are used for determining the order in which incidents are processed. Incident priority is assigned when the Ticket is opened and is determined primarily on the basis of urgency and impact.

- Impact The effect or scope that an incident has.
- Urgency The speed at which the incident should be resolved.
- Priority The combined value of the Impact and Urgency.

Prioritization Model								
	IMPACT							
1 - Extensive 2 - Significant 3 - Moderate 4				4 - Minor				
Patients Patient		No Patient Impact	Clinical Definition					
		Everyone	One Group	One Person	No Impact	Non-Clinical Definition		
U R	1- High	1 - Critical	2 - High	2 - High	3 - Medium	P R		
G E N	2 - Medium	2 - High 3 - Medium		3 - Medium	3 - Medium	I O R I		
C	3 - Low	3 - Medium	4 - Low	4 - Low	4 - Low	T Y		



IMPACT TABLE

RANK	DESCRIPTION
	Clinical Definition: Multiple Patients
1. Extensive/ Widespread:	Non-Clinical Definition: Entire department, floor, branch, line of business, external customer
2. Significant/	Clinical Definition: One Patient
Large:	Non-Clinical Definition: Greater than 5 business people
	Clinical Definition: No Patient Impact
3. Moderate/ Limited:	Non-Clinical Definition: Less than 5 business people affected.
4. Minor/	Clinical Definition: No Patient Impact
Localized:	Non-Clinical Definition: 1 business person affected.

URGENCY TABLE

RANK	DESCRIPTION
1. High:	Process stopped; customer cannot work. System and/or service is unavailable. Generally customers are unable to work and no workaround is available
2. Medium:	Process affected; certain functions are unavailable to customers. System and/or service are degraded. May or may not have workaround available.
3. Low:	Process affected; certain functions are unavailable to customers. The work can be scheduled. System and/or service. Inconvenienced but still available (Work, Excel, etc). Workaround available.



9. INCIDENT MONITORING AND ESCALATION SUB-PROCESS

9.1. SUB-PROCESS OBJECTIVE

Incident Monitoring and Escalation is a sub-process of the Incident Management Process. The objective of this process is the continuous monitoring of outstanding incidents so that counter-measures may be introduced as soon as possible if service levels are likely to be breached.

9.2. GLOBAL INCIDENT MANAGEMENT SERVICE LEVELS

	Definition	Incident Management Service Level		
Priority		Response Time	Target Resolution	
Critical	Major incident that is affecting a large group of users or critical business processes.	Notice of the issue to relevant users and communication of the expected downtime must take place within 15 minutes	• < 1 hours	
High	Significant incident that is causing work to slow or stop.	Response to the customer must take place within 1 hours	• < 2 hours	
Medium	Incidents that may be impacting work but for which there is a work-around.	Response to the customer must take place within 2 hours	• < 3 business days	
Normal	Incidents with low impact or where a work-around is easily followed.	Response to the customer must take place within 24 business hours	< 5 business days	

9.3. **ESCALATION**

Escalation of an incident can take place at any time and at any support level in the resolution process, as defined in the Service Level Agreement.

- Functional escalation involving personnel with more specialist skills, time or access privileges to solve the incident.
- Hierarchical escalation involving a higher level of organization authority, when it appears
 that the current level of authority is insufficient to ensure that the incident will be resolved
 in time and/or satisfactorily.



9.4. SERVICE DESK RESPONSE TIMES

The following Priority Chart shows response time after initial Assessment/Assignment and creation of a ticket by the Service Desk (10 to 30 minutes.) Times are measured in clock hours and/or minutes unless otherwise specified. If a ticket is initiated by a telephone call, it will be created within 10 minutes; if initiated by eMail, the ticket will be created within 48 hours.

- The Target Incident Response Acknowledgement Time is the time the Service Desk
 has to respond to the customer to acknowledge receipt of the ticket and that it is being
 actively worked.
- The **Target Status Update Time** is the time interval the assigned group/individual has to update the Service Desk on ticket status.
- The **Customer Status Update Time** is the interval that the Service Desk has to update the customer on ticket status.
- The **Target Resolution Time** is the total time from ticket creation to resolve the incident and restore service to the user.
- The **Target Percentage of Calls Resolved on Time** is the percentage of calls that meet the priority time frame criteria.

Incident Priority Chart

Priority	Target Incident Response Acknowledgement Time (to Customer from the Service Desk)	Target Status Update Time (to Service Desk from assigned group/person)	Customer Status Update Time Goal	Target Resolution Time	Target % of Calls Resolved on Time
Critical	15 minutes	Within 15 minutes, then every hour by the assigned working team until resolution has been achieved or identified	Service Desk will: Provide initial communication within 60min Update Service Alert Page every 60 min Send resolution notice	1 hour	90%
High	1 hour	Within 1 hour, then every 2 hours thereafter by the assigned working team until resolution has been achieved or identified	Service Desk will: Provide initial communication within 60min Update Service Alert Page every 60 min Send resolution notice	2 hours	90%
Medium	24 hours	Within 3 hours	Service Desk will provide status upon request	3 business days	80%
Normal	24 hours	Within 1 business day	Service Desk will provide status upon request	5 business days	80%